


>
Uploading C:\Program Files\Stnexp\Queries\10687880.str



chain nodes :

7 8 9 10 11 12 13 14 21 22 23 24 25 26 27

ring nodes :

1 2 3 4 5 6 15 16 17 18 19 20

chain bonds :

4-7 4-8 5-10 6-9 10-11 10-12 11-21 12-13 12-14 12-15 21-22 21-23 23-24
23-27 24-25 24-26

ring bonds :

1-2 1-6 2-3 3-4 4-5 5-6 15-16 15-20 16-17 17-18 18-19 19-20

exact/norm bonds :

1-2 1-6 2-3 3-4 4-5 5-6 10-12 12-13 12-14 12-15 24-25

exact bonds :

4-7 4-8 5-10 6-9 10-11 11-21 21-22 21-23 23-24 23-27 24-26

normalized bonds :

15-16 15-20 16-17 17-18 18-19 19-20

Match level :


1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:CLASS 8:CLASS 9:CLASS 10:CLASS
11:CLASS 12:CLASS 13:CLASS 14:CLASS 15:Atom 16:Atom 17:Atom 18:Atom 19:Atom
20:Atom 21:CLASS
22:CLASS 23:CLASS 24:CLASS 25:CLASS 26:CLASS 27:CLASS

L1 STRUCTURE UPLOADED

=> d

L1 HAS NO ANSWERS

L1 STR



Structure attributes must be viewed using STN Express query preparation.

=> s l1

SAMPLE SEARCH INITIATED 15:12:09 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 8 TO ITERATE

100.0% PROCESSED 8 ITERATIONS 0 ANSWERS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 8 TO 329
PROJECTED ANSWERS: 0 TO 0

L2 0 SEA SSS SAM L1

=> s l1 full


FULL SEARCH INITIATED 15:12:15 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 232 TO ITERATE

100.0% PROCESSED 232 ITERATIONS 32 ANSWERS
SEARCH TIME: 00.00.01

L3 32 SEA SSS FUL L1

=> d scan

L3 32 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN Retinal, 7,8,11,12-tetrahydro-11-hydroxy-7-[(4-methylphenyl)sulfonyl]-,
(9Z,13Z)- (9CI)
MF C27 H38 O4 S




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):10


L3 32 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN Retinol, 7,8,11,12-tetrahydro-11-methoxy-7-[(4-methylphenyl)sulfonyl]-,
 (9Z)- (9CI)
 MF C28 H42 O4 S

Double bond geometry as described by E or Z.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 32 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 2-Pentene-1,4-diol, 3-methyl-5-[(4-methylphenyl)sulfonyl]-5-(2,6,6-trimethyl-1-cyclohexen-1-yl)-, 1-acetate (9CI)
 MF C24 H34 O5 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 32 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN Retinol, 11-(acetyloxy)-7,8,11,12-tetrahydro-7-[(4-methylphenyl)sulfonyl]-
, acetate (9CI)
MF C31 H44 O6 S


Double bond geometry as shown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 32 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN Retinol, 7,8-dihydro-11-hydroxy-7-[(4-methylphenyl)sulfonyl]-,
(9?,11?)-(+)- (9CI)
MF C27 H38 O4 S

Double bond geometry as described by E or Z.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 32 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN Retinol, 11-(acetyloxy)-7,8,11,12-tetrahydro-7-[(4-methylphenyl)sulfonyl]-
, acetate, (9ξ,13ξ)- (9CI)
MF C31 H44 O6 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 32 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 2-Penten-1-ol, 3-methyl-5-[(4-methylphenyl)sulfonyl]-5-(2,6,6-trimethyl-1-cyclohexen-1-yl)-, (2E)-(9CI)
 MF C22 H32 O3 S


Double bond geometry as shown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 32 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN Retinol, 7,8,11,12-tetrahydro-11-hydroxy-7-[(4-methylphenyl)sulfonyl]-, (9?)-(9CI)
 MF C27 H40 O4 S

Double bond geometry as described by E or Z.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 32 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN Retinal, 7,8-dihydro-11-(1-methylethoxy)-7-[(4-methylphenyl)sulfonyl]-,
 (9?,11?,13?)-(+)- (9CI)
 MF C30 H42 O4 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 32 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 2-Penten-1-ol, 3-methyl-5-[(4-methylphenyl)sulfonyl]-5-(2,6,6-trimethyl-1-cyclohexen-1-yl)-, benzoate, (2E)- (9CI)
 MF C29 H36 O4 S


Double bond geometry as shown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 32 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN Retinol, 7,8,11,12-tetrahydro-11-hydroxy-7-[(4-methylphenyl)sulfonyl]-,
 15-acetate (9CI)
 MF C29 H42 O5 S

Double bond geometry as shown.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):10

L3 32 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN Retinol, 11-(acetyloxy)-7,8,11,12-tetrahydro-7-[(4-methylphenyl)sulfonyl]-
 4-oxo-, acetate, (9?)-(9CI)
 MF C31 H42 O7 S


Double bond geometry as described by E or Z.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 32 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN β , β -Carotene, 7,7',8,8',11,11',12,12'-octahydro-11,11'-dimethoxy-
 7,7'-bis[(4-methylphenyl)sulfonyl]-, (9?,9'?,13?,13'?,15?)-(9CI)
 MF C56 H80 O6 S2

PAGE 1-A



PAGE 2-A






PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 32 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 2-Penten-1-ol, 3-methyl-5-[(4-methylphenyl)sulfonyl]-5-(2,6,6-trimethyl-1-cyclohexen-1-yl)-, acetate, (2E)- (9CI)
 MF C24 H34 O4 S


Double bond geometry as shown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 32 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN Retinol, 11-(acetyloxy)-7,8,11,12-tetrahydro-7-[(4-methylphenyl)sulfonyl]-, acetate, (9?)- (9CI)
 MF C31 H44 O6 S


Double bond geometry as described by E or Z.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 32 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN Retinol, 7,8-dihydro-11-(1-methylethoxy)-7-[(4-methylphenyl)sulfonyl]-,
(9?,11?)-(±)-(9CI)
MF C30 H44 O4 S

Double bond geometry as described by E or Z.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 32 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN 2-Penten-1-ol, 3-methyl-5-[(4-methylphenyl)sulfonyl]-5-(2,6,6-trimethyl-1-cyclohexen-1-yl)-(9CI)
MF C22 H32 O3 S




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 32 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN 2,6-Nonadienal, 5-methoxy-3,7-dimethyl-9-(phenylsulfonyl)-9-(2,6,6-trimethyl-1-cyclohexen-1-yl)-(9CI)
MF C27 H38 O4 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 32 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN Retinal, 11-(acetyloxy)-7,8,11,12-tetrahydro-7-[(4-methylphenyl)sulfonyl]-
 , (9Z,13Z)- (9CI)
 MF C29 H40 O5 S




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 32 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN Phosphonium, [(2E)-5-methoxy-3,7-dimethyl-9-[(4-methylphenyl)sulfonyl]-9-(2,6,6-trimethyl-1-cyclohexen-1-yl)-2,6-nonadienyl]triphenyl-, bromide
 (9CI)
 MF C46 H56 O3 P S . Br

Double bond geometry as described by E or Z.



L3 32 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 2-Cyclohexen-1-one, 3-[5-hydroxy-3-methyl-1-[(4-methylphenyl)sulfonyl]-3-pentenyl]-2,4,4-trimethyl- (9CI)
 MF C22 H30 O4 S




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):10


L3 32 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN Retinol, 7,8,11,12-tetrahydro-11-hydroxy-7-[(4-methylphenyl)sulfonyl]- (9CI)
 MF C27 H40 O4 S

Double bond geometry as shown.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 32 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN Retinal, 7,8-dihydro-11-methoxy-7-[(4-methylphenyl)sulfonyl]-,
 (9Z,11Z,13Z)- (±) - (9CI)
 MF C28 H38 O4 S




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 32 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 2-Penten-1-ol, 3-methyl-5-[(4-methylphenyl)sulfonyl]-5-(2,6,6-trimethyl-1-
 cyclohexen-1-yl)-, acetate (9CI)
 MF C24 H34 O4 S




L3 32 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN Benzene, [[5,9,9-trimethoxy-3,7-dimethyl-1-(2,6,6-trimethyl-1-cyclohexen-1-yl)-3,7-nonadienyl]sulfonyl]- (9CI)
MF C29 H44 O5 S




L3 32 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN Retinol, 11-(acetyloxy)-7,8,11,12-tetrahydro-7-[(4-methylphenyl)sulfonyl]-
MF , (9?)- (9CI)
C29 H42 O5 S

L3 32 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN Retinal, 7,8,11,12-tetrahydro-11-methoxy-7-[(4-methylphenyl)sulfonyl]-,
(9?,13?) - (9CI)
MF C28 H40 O4 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 32 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 2-Cyclohexen-1-one, 3-[5-(acetyloxy)-3-methyl-1-[(4-methylphenyl)sulfonyl]-3-pentenyl]-2,4,4-trimethyl- (9CI)
 MF C24 H32 O5 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 32 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN Retinol, 11-(acetyloxy)-7,8,11,12-tetrahydro-7-[(4-methylphenyl)sulfonyl]- (9CI)
 MF C29 H42 O5 S


Double bond geometry as shown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 32 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN Retinol, 7,8-dihydro-11-methoxy-7-[(4-methylphenyl)sulfonyl]-,
(9?,11?)-(±)-(9CI)
MF C28 H40 O4 S

Double bond geometry as described by E or Z.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 32 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN Retinol, 11-(acetyloxy)-7,8,11,12-tetrahydro-7-[(4-methylphenyl)sulfonyl]-,
(9ξ,13ξ)-(9CI)
MF C29 H42 O5 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):0

=>

=>

=>

Uploading C:\Program Files\Stnexp\Queries\10687880.str



chain nodes :

7 8 9 10 11 12 13 14 21 22 23 24 25 26 27

ring nodes :

1 2 3 4 5 6 15 16 17 18 19 20

chain bonds :

4-7 4-8 5-10 6-9 10-11 10-12 11-21 12-13 12-14 12-15 21-22 21-23 23-24
23-27 24-25 24-26

ring bonds :

1-2 1-6 2-3 3-4 4-5 5-6 15-16 15-20 16-17 17-18 18-19 19-20

exact/norm bonds :

1-2 1-6 2-3 3-4 4-5 5-6 10-12 12-13 12-14 12-15 24-25

exact bonds :

4-7 4-8 5-10 6-9 10-11 11-21 21-22 21-23 23-24 23-27 24-26

normalized bonds :

15-16 15-20 16-17 17-18 18-19 19-20

Match level :


1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:CLASS 8:CLASS 9:CLASS 10:CLASS
11:CLASS 12:CLASS 13:CLASS 14:CLASS 15:Atom 16:Atom 17:Atom 18:Atom 19:Atom
20:Atom 21:CLASS
22:CLASS 23:CLASS 24:CLASS 25:CLASS 26:CLASS 27:CLASS

L4 STRUCTURE UPLOADED

=> d

L4 HAS NO ANSWERS

L4 STR



Structure attributes must be viewed using STN Express query preparation.

=> s l4

SAMPLE SEARCH INITIATED 15:14:20 FILE 'REGISTRY'
 SAMPLE SCREEN SEARCH COMPLETED - 8 TO ITERATE

100.0% PROCESSED 8 ITERATIONS 0 ANSWERS
 SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
 BATCH **COMPLETE**
 PROJECTED ITERATIONS: 8 TO 329
 PROJECTED ANSWERS: 0 TO 0

L5 0 SEA SSS SAM L4

=> s l5 full


FULL SEARCH INITIATED 15:14:25 FILE 'REGISTRY'
 FULL SCREEN SEARCH COMPLETED - 232 TO ITERATE

100.0% PROCESSED 232 ITERATIONS 26 ANSWERS
 SEARCH TIME: 00.00.01

L6 26 SEA SSS FUL L4

=> d scan

L6 26 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 2-Penten-1-ol, 3-methyl-5-[(4-methylphenyl)sulfonyl]-5-(2,6,6-trimethyl-1-cyclohexen-1-yl)-, acetate (9CI)
 MF C24 H34 O4 S




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):0

=> s l6 and C24 H34 O4 S/mf
 120 C24 H34 O4 S/MF
 L7 2 L6 AND C24 H34 O4 S/MF
 => d 1-2

L7 ANSWER 1 OF 2 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 639092-21-0 REGISTRY
 CN 2-Penten-1-ol, 3-methyl-5-[(4-methylphenyl)sulfonyl]-5-(2,6,6-trimethyl-1-cyclohexen-1-yl)-, acetate, (2E)-(9CI) (CA INDEX NAME)
 FS STEREOSEARCH
 MF C24 H34 O4 S
 SR CA
 LC STN Files: CA, CAPLUS


Double bond geometry as shown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L7 ANSWER 2 OF 2 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 414871-71-9 REGISTRY
 CN 2-Penten-1-ol, 3-methyl-5-[(4-methylphenyl)sulfonyl]-5-(2,6,6-trimethyl-1-cyclohexen-1-yl)-, acetate (9CI) (CA INDEX NAME)
 FS 3D CONCORD
 MF C24 H34 O4 S
 SR CA
 LC STN Files: CA, CAPLUS, CASREACT, USPAT2, USPATFULL



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

=> fil caplus

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

320.49

320.70

FILE 'CAPLUS' ENTERED AT 15:15:24 ON 06 APR 2004

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 6 Apr 2004 VOL 140 ISS 15

FILE LAST UPDATED: 5 Apr 2004 (20040405/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s l7

L8

3 L7

=> d ibib abs hitstr 1-3

L8 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 2004:19900 CAPLUS

DOCUMENT NUMBER: 140:59803

TITLE: Preparation of arylsulfones and/or trienes as intermediates for retinols

INVENTOR(S): Konya, Naoto; Takahashi, Toshiya; Seko, Shinzo

PATENT ASSIGNEE(S): Sumitomo Chemical Co., Ltd., Japan

SOURCE: Jpn. Kokai Tokkyo Koho, 11 pp.


CODEN: JKXXAF

DOCUMENT TYPE: Patent

LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 2004002307	A2	20040108	JP 2003-33322	20030212
PRIORITY APPLN. INFO.: OTHER SOURCE(S): MARPAT 140:59803			JP 2002-82960	A 20020325

GI



AB The arylsulfones and/or trienes (E)-I (Y = CH(SO₂Ar)CH₂CMe:CHCH₂OR₁, CH:CHCH:CHCH₂OR₁; R₁ = H, OH-protective group; Ar = aryl) are prepared by treatment of I (Y = CH₂SO₂Ar; Ar = same as above) with (E)-XCH₂CMe:CHCH₂OR [(E)-II; R₁, Ar = same as above; X = halo] in the presence of alkali metal hydroxides. Thus, I (Y = CH₂SO₂C₆H₄-p) was treated with II (R₁ = Ac; X = Br; E/Z = 98/2) in the presence of KOH to give 77% I (Y, R₁ = same as above; E/Z = 99/1) and 3% I (Y = same as above; R₁ = H; E/Z = 90/10).

IT 639092-21-0P


RL: IMF (Industrial manufacture); SPN (Synthetic preparation); PREP (Preparation)

(preparation of sulfones and/or trienes as retinol intermediates by coupling reaction of sulfones with aryl halides in the presence of alkali metal hydroxides)

RN 639092-21-0 CAPLUS

CN 2-Penten-1-ol, 3-methyl-5-[(4-methylphenyl)sulfonyl]-5-(2,6,6-trimethyl-1-cyclohexen-1-yl)-, acetate, (2E)- (9CI) (CA INDEX NAME)

Double bond geometry as shown.



L8 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 2003:673849 CAPLUS

DOCUMENT NUMBER: 139:197631

TITLE: Preparation of conjugated trienes as intermediates for retinoids and carotenoids

INVENTOR(S): Takahashi, Toshiya; Seko, Shinzo


PATENT ASSIGNEE(S): Sumitomo Chemical Co., Ltd., Japan

SOURCE: Jpn. Kokai Tokkyo Koho, 6 pp.


CODEN: JKXXAF
 DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 2003238527	A2	20030827	JP 2002-35058	20020213
PRIORITY APPLN. INFO.:			JP 2002-35058	20020213
OTHER SOURCE(S):			CASREACT 139:197631; MARPAT 139:197631	

GI



I



II


AB The trienes I are prepared by treatment of sulfonic acid derivs. II [Ar = (substituted) aryl; R = H, protective group] with bases. Thus, II (Ar = p-MeC6H5, R = Ac) was treated with KOH in the presence of Bu4N+HSO4- and MeOH to give I, which was acetylated to give 91.2% acetyl ester.

IT 414871-71-9

RL: RCT (Reactant); RACT (Reactant or reagent)
 (preparation of conjugated trienes as intermediates for retinoids and carotenoids)

RN 414871-71-9 CAPLUS

CN 2-Penten-1-ol, 3-methyl-5-[(4-methylphenyl)sulfonyl]-5-(2,6,6-trimethyl-1-cyclohexen-1-yl)-, acetate (9CI) (CA INDEX NAME)



L8 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 2002:314434 CAPLUS

DOCUMENT NUMBER: 136:325708

TITLE: Process for producing retinol and intermediate compounds

INVENTOR(S): Takahashi, Toshiya; Seko, Shinzo; Kimura, Kazutaka;
 Doi, Noriyuki; Konya, Naoto

PATENT ASSIGNEE(S): Sumitomo Chemical Company, Limited, Japan


SOURCE: Eur. Pat. Appl., 20 pp.

CODEN: EPXXDW


DOCUMENT TYPE: Patent

LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 1199303	A1	20020424	EP 2001-124906	20011018
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR				
JP 2002193919	A2	20020710	JP 2001-263139	20010831
JP 2002193918	A2	20020710	JP 2001-263140	20010831
JP 2002193920	A2	20020710	JP 2001-263141	20010831
JP 2002193917	A2	20020710	JP 2001-263142	20010831
US 2002058844	A1	20020516	US 2001-978691	20011018
US 6660888	B2	20031209		
CN 1356317	A	20020703	CN 2001-130363	20011018
PRIORITY APPLN. INFO.:			JP 2000-317546	A 20001018
			JP 2000-317547	A 20001018
			JP 2000-317548	A 20001018
			JP 2000-317549	A 20001018
OTHER SOURCE(S):			CASREACT 136:325708; MARPAT 136:325708	
GI				



I



II


AB The present invention discloses a process for the preparation of a disulfone derivative I [Ar = (substituted) aryl; R = H, protective group; wavy line = single bond and stereochem. relating to double bond bound therewith is E or Z or a mixture thereof], for producing retinol through I. Thus, I (Ar = C₆H₄Me-p, R = H) was prepared via a multistep synthetic sequence starting from II and 4-bromo-3-methyl-2-butenyl acetate.

IT 414871-71-9P

RL: IMF (Industrial manufacture); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
 (process for the production of retinol and intermediate compds.)

RN 414871-71-9 CAPLUS

CN 2-Penten-1-ol, 3-methyl-5-[(4-methylphenyl)sulfonyl]-5-(2,6,6-trimethyl-1-cyclohexen-1-yl)-, acetate (9CI) (CA INDEX NAME)



REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> file reg	SINCE FILE	TOTAL
COST IN U.S. DOLLARS	ENTRY	SESSION
FULL ESTIMATED COST	15.15	335.85

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	-2.08	-2.08

FILE 'REGISTRY' ENTERED AT 15:16:25 ON 06 APR 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 5 APR 2004 HIGHEST RN 671248-82-1
DICTIONARY FILE UPDATES: 5 APR 2004 HIGHEST RN 671248-82-1

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 6, 2004

Please note that search-term pricing does apply when
conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more
information enter HELP PROP at an arrow prompt in the file or refer
to the file summary sheet on the web at:
<http://www.cas.org/ONLINE/DBSS/registryss.html>

=> s hid
32 HID
1 HIDS
L9 33 HID
(HID OR HIDS)

=> d his

(FILE 'HOME' ENTERED AT 15:11:45 ON 06 APR 2004)

FILE 'REGISTRY' ENTERED AT 15:11:53 ON 06 APR 2004

L1 STRUCTURE UPLOADED
L2 0 S L1
L3 32 S L1 FULL
L4 STRUCTURE UPLOADED
L5 0 S L4
L6 26 S L5 FULL
L7 2 S L6 AND C24 H34 O4 S/MF

FILE 'CAPLUS' ENTERED AT 15:15:24 ON 06 APR 2004

L8 3 S L7


FILE 'REGISTRY' ENTERED AT 15:16:25 ON 06 APR 2004

L9 33 S HID

=> s l6 not l7
L10 24 L6 NOT L7

=> d scan

L10 24 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN Retinal, 7,8,11,12-tetrahydro-11-hydroxy-7-[(4-methylphenyl)sulfonyl]-,
(9?,13?)- (9CI)
MF C27 H38 O4 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):0

=> file caplus

COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION

FULL ESTIMATED COST

4.85	340.70
------	--------

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE	TOTAL
ENTRY	SESSION

CA SUBSCRIBER PRICE

0.00	-2.08
------	-------

FILE 'CAPLUS' ENTERED AT 15:17:02 ON 06 APR 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 6 Apr 2004 VOL 140 ISS 15
FILE LAST UPDATED: 5 Apr 2004 (20040405/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s l10/prep

17 L10
3130839 PREP/RL


L11 16 L10/PREP
(L10 (L) PREP/RL)

=> d ibib abs hitstr 1-10

L11 ANSWER 1 OF 16 CAPLUS COPYRIGHT 2004 ACS on STN
ACCESSION NUMBER: 2004:19900 CAPLUS
DOCUMENT NUMBER: 140:59803
TITLE: Preparation of arylsulfones and/or trienes as
intermediates for retinols
INVENTOR(S): Konya, Naoto; Takahashi, Toshiya; Seko, Shinzo
PATENT ASSIGNEE(S): Sumitomo Chemical Co., Ltd., Japan
SOURCE: Jpn. Kokai Tokkyo Koho, 11 pp.
CODEN: JKXXAF
DOCUMENT TYPE: Patent
LANGUAGE: Japanese
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 2004002307	A2	20040108	JP 2003-33322	20030212
PRIORITY APPLN. INFO.:			JP 2002-82960	A 20020325
OTHER SOURCE(S):		MARPAT 140:59803		

GI



AB The arylsulfones and/or trienes (E)-I (Y = CH(SO₂Ar)CH₂CMe:CHCH₂OR₁, CH:CHCH:CHCH₂OR₁; R₁ = H, OH-protective group; Ar = aryl) are prepared by treatment of I (Y = CH₂SO₂Ar; Ar = same as above) with (E)-XCH₂CMe:CHCH₂OR [(E)-II; R₁, Ar = same as above; X = halo] in the presence of alkali metal hydroxides. Thus, I (Y = CH₂SO₂C₆H₄-p) was treated with II (R₁ = Ac; X = Br; E/Z = 98/2) in the presence of KOH to give 77% I (Y, R₁ = same as above; E/Z = 99/1) and 3% I (Y = same as above; R₁ = H; E/Z = 90/10).

IT 639092-22-1P


RL: IMF (Industrial manufacture); SPN (Synthetic preparation); **PREP**
(Preparation)

(preparation of sulfones and/or trienes as retinol intermediates by coupling reaction of sulfones with aryl halides in the presence of alkali metal hydroxides)

RN 639092-22-1 CAPLUS

CN 2-Penten-1-ol, 3-methyl-5-[(4-methylphenyl)sulfonyl]-5-(2,6,6-trimethyl-1-cyclohexen-1-yl)-, (2E)- (9CI) (CA INDEX NAME)

Double bond geometry as shown.



L11 ANSWER 2 OF 16 CAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 2003:678781 CAPLUS

DOCUMENT NUMBER: 139:230876

TITLE: Preparation of carotenoids

INVENTOR(S): Seko, Shinzo; Konya, Naoto; Takahashi, Toshiya

PATENT ASSIGNEE(S): Sumitomo Chemical Company, Limited, Japan

SOURCE: PCT Int. Appl., 29 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent


LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 2


PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2003070698	A1	20030828	WO 2003-JP1520	20030214
W: CN, US				
RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, SE, SI, SK, TR				
JP 2003238524	A2	20030827	JP 2002-41247	20020219
PRIORITY APPLN. INFO.:			JP 2002-41247	A 20020219
			JP 2002-347572	A 20021129
OTHER SOURCE(S):		CASREACT 139:230876; MARPAT 139:230876		

GI



I




II

AB Carotenoids I (Y = H, O; and each wavy line represents either of E/Z geometrical isomers or a mixture) are prepared by reaction of disulfone compds. II (R = aryl) with a base. Thus, reaction of II (R = p-tolyl, Y = H) with KOMe in THF at 40° for 4.5 h gave 66% I (Y = H).

IT 591246-52-5P 591246-53-6P
 RL: RCT (Reactant); SPN (Synthetic preparation); **PREP** (**Preparation**); RACT (Reactant or reagent)
 (preparation of carotenoids)


RN 591246-52-5 CAPLUS

CN 2-Cyclohexen-1-one, 3-[5-(acetyloxy)-3-methyl-1-[(4-methylphenyl)sulfonyl]-3-pentenyl]-2,4,4-trimethyl- (9CI) (CA INDEX NAME).



RN 591246-53-6 CAPLUS

CN 2-Cyclohexen-1-one, 3-[5-hydroxy-3-methyl-1-[(4-methylphenyl)sulfonyl]-3-pentenyl]-2,4,4-trimethyl- (9CI) (CA INDEX NAME)



REFERENCE COUNT: 6 THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L11 ANSWER 3 OF 16 CAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 2003:478987 CAPLUS

DOCUMENT NUMBER: 139:53172

TITLE: Preparation of hydroxysulfones as intermediates for retinols

INVENTOR(S): Takahashi, Toshiya; Seko, Shinzo

PATENT ASSIGNEE(S): Sumitomo Chemical Co., Ltd., Japan

SOURCE: Jpn. Kokai Tokkyo Koho, 4 pp.
 CODEN: JKXXAF


DOCUMENT TYPE: Patent

LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 2003176263	A2	20030624	JP 2001-379813	20011213
PRIORITY APPLN. INFO.:			JP 2001-379813	20011213
OTHER SOURCE(S):			MARPAT 139:53172	
GI				




AB Hydroxysulfones I [Ar = (un)substituted aryl; Z = HOCHCMe:CHCH₂OR₁; R₁ = H, protecting group] are prepared by treatment of sulfones I (Ar = same as above; Z = H) with HCOCMe:CHCH₂OR (R = protecting group) in the presence of bases. Thus, I (Ar = 4-MePh, Z = H) was treated with n-BuLi at -60° and condensed with HCOCMe:CHCH₂OAc at -60° for 3 h to give 51.5% I (Ar = same as above, Z = HOCHCMe:CHCH₂OAc).

IT 544697-41-8P

RL: SPN (Synthetic preparation); **PREP (Preparation)**
(preparation of hydroxysulfones as intermediates for retinols)

RN 544697-41-8 CAPLUS

CN 2-Pentene-1,4-diol, 3-methyl-5-[(4-methylphenyl)sulfonyl]-5-(2,6,6-trimethyl-1-cyclohexen-1-yl)-, 1-acetate (9CI) (CA INDEX NAME)



L11 ANSWER 4 OF 16 CAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 2002:314434 CAPLUS

DOCUMENT NUMBER: 136:325708

TITLE: Process for producing retinol and intermediate compounds

INVENTOR(S): Takahashi, Toshiya; Seko, Shinzo; Kimura, Kazutaka; Doi, Noriyuki; Konya, Naoto

PATENT ASSIGNEE(S): Sumitomo Chemical Company, Limited, Japan

SOURCE: Eur. Pat. Appl., 20 pp.

CODEN: EPXXDW

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
------------	------	------	-----------------	------


EP 1199303	A1	20020424	EP 2001-124906	20011018
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR				
JP 2002193919	A2	20020710	JP 2001-263139	20010831
JP 2002193918	A2	20020710	JP 2001-263140	20010831
JP 2002193920	A2	20020710	JP 2001-263141	20010831
JP 2002193917	A2	20020710	JP 2001-263142	20010831
US 2002058844	A1	20020516	US 2001-978691	20011018
US 6660888	B2	20031209		
CN 1356317	A	20020703	CN 2001-130363	20011018

PRIORITY APPLN. INFO.:


JP 2000-317546	A	20001018
JP 2000-317547	A	20001018
JP 2000-317548	A	20001018
JP 2000-317549	A	20001018

OTHER SOURCE(S): CASREACT 136:325708; MARPAT 136:325708

GI



I



II

AB The present invention discloses a process for the preparation of a disulfone derivative I [Ar = (substituted) aryl; R = H, protective group; wavy line = single bond and stereochem. relating to double bond bound therewith is E or Z or a mixture thereof], for producing retinol through I. Thus, I (Ar = C₆H₄Me-p, R = H) was prepared via a multistep synthetic sequence starting from II and 4-bromo-3-methyl-2-butenyl acetate.

IT 414871-72-0P 414871-74-2P


RL: IMF (Industrial manufacture); SPN (Synthetic preparation); PREP

(Preparation)

(process for the production of retinol and intermediate compds.)

RN 414871-72-0 CAPLUS


CN 2-Penten-1-ol, 3-methyl-5-[(4-methylphenyl)sulfonyl]-5-(2,6,6-trimethyl-1-cyclohexen-1-yl)- (9CI) (CA INDEX NAME)



RN 414871-74-2 CAPLUS

CN 2-Penten-1-ol, 3-methyl-5-[(4-methylphenyl)sulfonyl]-5-(2,6,6-trimethyl-1-cyclohexen-1-yl)-, benzoate, (2E)- (9CI) (CA INDEX NAME)

Double bond geometry as shown.



REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L11 ANSWER 5 OF 16 CAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 2002:136074 CAPLUS

DOCUMENT NUMBER: 136:183966

TITLE: Vitamin A related compounds and process for producing the same

INVENTOR(S): Takahashi, Toshiya; Seko, Shinzo; Miki, Takashi

PATENT ASSIGNEE(S): Sumitomo Chemical Company, Limited, Japan

SOURCE: U.S., 13 pp., Cont.-in-part of U.S. Ser. No. 138,894, abandoned.

CODEN: USXXAM

DOCUMENT TYPE: Patent

LANGUAGE: English




FAMILY ACC. NUM. COUNT: 2

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 6348622	B1	20020219	US 2000-500998	20000209
JP 11222478	A2	19990817	JP 1998-23416	19980204
JP 11130730	A2	19990518	JP 1998-238574	19980825
JP 11222479	A2	19990817	JP 1998-300934	19981022
JP 11236356	A2	19990831	JP 1998-350269	19981209
JP 11236357	A2	19990831	JP 1998-350270	19981209
JP 11315065	A2	19991116	JP 1999-11742	19990120
PRIORITY APPLN. INFO.:			JP 1997-228195	A 19970825
			JP 1997-292314	A 19971024
			JP 1997-341270	A 19971211
			JP 1997-341271	A 19971211
			JP 1998-13887	A 19980127
			JP 1998-23416	A 19980204
			US 1998-138894	B2 19980824

OTHER SOURCE(S): CASREACT 136:183966; MARPAT 136:183966

GI



AB Vitamin A intermediates , e.g. I [Ar = (substituted) aryl; R = H, protective group], were prepared as intermediates for preparation of vitamin A related compds. Thus, II (Ts = p-methylphenylsulfonyl), prepared by dehydration of alc. III with TiCl_4 , was treated with potassium methoxide to give all-trans retinol. The preparation of III was described.


IT 221115-78-2P 221115-80-6P

RL: IMF (Industrial manufacture); RCT (Reactant); SPN (Synthetic preparation); **PREP (Preparation)**; RACT (Reactant or reagent)
(preparation of vitamin A related compds.)

RN 221115-78-2 CAPLUS

CN Retinol, 7,8,11,12-tetrahydro-11-hydroxy-7-[(4-methylphenyl)sulfonyl]-, 15-acetate (9CI) (CA INDEX NAME)


Double bond geometry as shown.



RN 221115-80-6 CAPLUS

CN Retinol, 11-(acetyloxy)-7,8,11,12-tetrahydro-7-[(4-methylphenyl)sulfonyl]-, acetate (9CI) (CA INDEX NAME)

Double bond geometry as shown.



IT 221115-81-7P


RL: IMF (Industrial manufacture); SPN (Synthetic preparation); **PREP**
(Preparation)

(preparation of vitamin A related compds.)

RN 221115-81-7 CAPLUS

CN Retinol, 11-(acetyloxy)-7,8,11,12-tetrahydro-7-[(4-methylphenyl)sulfonyl]-
(9CI) (CA INDEX NAME)

Double bond geometry as shown.



REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L11 ANSWER 6 OF 16 CAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 2001:703438 CAPLUS

DOCUMENT NUMBER: 135:257035

TITLE: Preparation of arylsulfones by coupling reaction

INVENTOR(S): Takahashi, Toshiya; Konya, Naoto; Seko, Shinzo

PATENT ASSIGNEE(S): Sumitomo Chemical Co., Ltd., Japan

SOURCE: Jpn. Kokai Tokkyo Koho, 7 pp.

CODEN: JKXXAF

DOCUMENT TYPE: Patent

LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1


PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 2001261634	A2	20010926	JP 2000-78143	20000321
PRIORITY APPLN. INFO.:			JP 2000-78143	20000321


OTHER SOURCE(S): CASREACT 135:257035; MARPAT 135:257035

AB Title compds. YCH(SO₂Ar)CH₂CMe:CHCH(OR₂)CH₂CMe:CHCH₂OR₁ [Y = 2,6,6-trimethyl-1-cyclohexen-1-yl; CMe₂:CHCH₂CH₂CMe:CH; Ar = (un)substituted aryl; R₁, R₂ = OH-protecting group] or YCH(SO₂Ar)CH₂CMe:CHCH:CHCMe:CHCH₂OR₁ (Y, Ar, R₁ = same as above) are prepared by treating YCH₂SO₂Ar (Ar, Y = same as above) with bases to move equilibrium to arylsulfone anion side and coupling reaction with X₁CH₂CMe:CHCH₂CH₂CMe:CHCH₂OR₁ (Z = X₂, OR₂; X₁, X₂ = halo, R₁, R₂ = same

as above) at a temperature lower than anionization temperature
 2,6,6-Trimethyl-1-(p-tolylsulfonylmethyl)cyclohex-1-ene was treated with KOBu-tert in DMF at
 -40° for 5 min and reacted with BrCH₂CMe:CHCH(OAc)CH₂CMe:CHCH₂OAc
 at -60° for 2 h to give 97.5% QCH₂CMe:CHCH(OAc)CH₂CMe:CHCH₂OAc [Q =
 (2,6,6-trimethylcyclohexen-1-yl) (p-tolylsulfonyl)methyl] and
 QCH₂CMe:CHCH(OAc)CH₂CMe:CHCH₂OH (Q = same as above).
 IT 361342-14-5P 361342-15-6P
 RL: IMF (Industrial manufacture); SPN (Synthetic preparation); **PREP**
 (Preparation)
 (preparation of arylsulfonylalkenes by coupling reaction of arylsulfones
 with allyl halides)
 RN 361342-14-5 CAPLUS
 CN Retinol, 11-(acetyloxy)-7,8,11,12-tetrahydro-7-[(4-methylphenyl)sulfonyl]-
 , acetate, (9ξ,13ξ)- (9CI) (CA INDEX NAME)



RN 361342-15-6 CAPLUS
 CN Retinol, 11-(acetyloxy)-7,8,11,12-tetrahydro-7-[(4-methylphenyl)sulfonyl]-
 , (9ξ,13ξ)- (9CI) (CA INDEX NAME)




L11 ANSWER 7 OF 16 CAPLUS COPYRIGHT 2004 ACS on STN
 ACCESSION NUMBER: 2001:279448 CAPLUS
 DOCUMENT NUMBER: 134:295969
 TITLE: Process for the production of beta-carotene and
 intermediate compounds
 INVENTOR(S): Konya, Naoto; Seko, Shinzo
 PATENT ASSIGNEE(S): Sumitomo Chemical Company, Limited, Japan
 SOURCE: Eur. Pat. Appl., 15 pp.
 CODEN: EPXXDW
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
------------	------	------	-----------------	------


RN 334478-85-2 CAPLUS
 CN Phosphonium, [(2E)-5-methoxy-3,7-dimethyl-9-[(4-methylphenyl)sulfonyl]-9-(2,6,6-trimethyl-1-cyclohexen-1-yl)-2,6-nonadienyl]triphenyl-, bromide
 (9CI) (CA INDEX NAME)



Double bond geometry as described by E or Z.



RN 334478-87-4 CAPLUS
 CN β,β-Carotene, 7,7',8,8',11,11',12,12'-octahydro-11,11'-dimethoxy-7,7'-bis[(4-methylphenyl)sulfonyl]-, (9Z,9'Z,13Z,13'Z,15Z)- (9CI) (CA INDEX NAME)

PAGE 1-A





IT 251911-99-6P 334478-81-8P


RL: RCT (Reactant); SPN (Synthetic preparation); **PREP**
(Preparation); RACT (Reactant or reagent)

(process for the production of beta-carotene and intermediate compds.)


RN 251911-99-6 CAPLUS

CN Retinol, 7,8,11,12-tetrahydro-11-hydroxy-7-[(4-methylphenyl)sulfonyl]-,
 (9?)-(9CI) (CA INDEX NAME)

Double bond geometry as described by E or Z.



Double bond geometry as described by E or Z.



L11 ANSWER 8 OF 16 CAPLUS COPYRIGHT 2004 ACS on STN


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 2000344738	A2	20001212	JP 1999-156397	19990603
DE 10026750	A1	20010118	DE 2000-10026750	20000530
FR 2794458	A1	20001208	FR 2000-6991	20000531
CN 1277960	A	20001227	CN 2000-119244	20000601
US 6288283	B1	20010911	US 2000-584354	20000601
PRIORITY APPLN. INFO.:			JP 1999-156396	A 19990603
			JP 1999-156397	A 19990603

AB Title compound is prepared by oxidation of 1,5-dihydroxy-3,7-dimethyl-9-(2,6,6-trimethylcyclohexen-1-yl)-2,6,8-nonatriene (I) and dehydration of 5-hydroxy-3,7-dimethyl-9-(2,6,6-trimethylcyclohexen-1-yl)-nona-2,6,8-trienal (II). I was oxidized in the presence of MnO₂ in CH₂Cl₂ at room temperature for 24 h to give 90% II, which was reacted in the presence of pyridine hydrochloride and pyridine in PhMe at 70° for 2 h to give 46% retinal.

RL: RCT (Reactant); SPN (Synthetic preparation); **PREP**
(**Preparation**); RACT (Reactant or reagent)

RN 224966-76-1 CAPLUS

Double bond geometry as described by E or Z.



L11 ANSWER 10 OF 16 CAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 2000:290995 CAPLUS

DOCUMENT NUMBER: 132:293897

TITLE: Process for the preparation of retinol and intermediates therefor

INVENTOR(S): Takahashi, Toshiya; Furutani, Atsushi; Seko, Shinzo

PATENT ASSIGNEE(S): Sumitomo Chemical Company, Limited, Japan

SOURCE: PCT Int. Appl., 19 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:



PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2000024713	A1	20000504	WO 1999-JP5748	19991019
W: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, KE, KG, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
JP 2000198770	A2	20000718	JP 1999-285397	19991006
AU 9961244	A1	20000515	AU 1999-61244	19991019
EP 1125921	A1	20010822	EP 1999-947956	19991019
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				

PRIORITY APPLN. INFO.: JP 1998-303851 A 19981026

WO 1999-JP5748 W 19991019

OTHER SOURCE(S): CASREACT 132:293897; MARPAT 132:293897

GI



AB Described is a process for easily preparing retinol useful in the fields of drugs, feed additives and food additives, by reacting a halogenated sulfone derivative represented by general formula (I; wherein Ar is optionally substituted aryl; and X is halogeno) with a base for elimination reaction to olefin. Such intermediates can be easily prepared by reacting a diol compound represented by general formula (II; wherein Ar is as defined above), which can be derived from a relatively inexpensive raw material, with a Group 4 transition metal halide for halogenation without protecting the primary hydroxyl group. Thus, 0.095 g TiCl_4 was added dropwise to a solution of 0.46 g 1,5-Dihydroxy-3,7-dimethyl-9-(2,6,6-trimethylcyclohexen-1-yl)-9-((4-methylphenyl)sulfonyl)nona-2,6-diene (III) in 1,2-dimethoxyethane at room temperature and stirred at room temperature for 12 h and

50° for 4 h to give a crude mixture of 8 diastereoisomers containing 1-Hydroxy-5-chloro-3,7-dimethyl-9-(2,6,6-trimethylcyclohexen-1-yl)-9-((4-methylphenyl)sulfonyl)nona-2,6-diene as the main component in 95% yield. The crude mixture (676 mg) was dissolved in cyclohexane, treated with 988 mg MeOK and stirred at 40° for 7 h to give crude retinol which was acetylated by acetic anhydride in pyridine in the presence of 4-dimethylaminopyridine at room temperature for 18 h to give retinyl acetate in 70% yield from III.

IT 224966-76-1P


RL: RCT (Reactant); SPN (Synthetic preparation); **PREP**
(**Preparation**); RACT (Reactant or reagent)

(preparation of retinol by halogenation diol sulfone derivative and olefination
of halogenated sulfone derivative)

RN 224966-76-1 CAPLUS

CN Retinol, 11-(acetyloxy)-7,8,11,12-tetrahydro-7-[(4-methylphenyl)sulfonyl]-, acetate, (9?)-(9CI) (CA INDEX NAME)

Double bond geometry as described by E or Z.



REFERENCE COUNT:

6

THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT